

MIDIRS Midwifery Digest Index 2021

A

antenatal care 163–165, 396–407, 460–465
antenatal education 263–270, 408
Asian women 485–490
autism 483
autonomy 212–216, 225–231

B

Big Data 27–39
biological nurturing 121–124
birth centres 108–110
blind women 68–72
bonding 180–181
breastfeeding
 aversion to 136
 biological nurturing and 121–124
 child neurodevelopment 249
 COVID-19 and 247, 347–353, 354–356, 358
 early cessation 121–124
 effect of opioid pain relief on 495–500
 exclusive 358
 initiation 247, 490–494
 milk supply 278–283
 postpartum contraception and 248
 support 347–353, 354–356
 women with history of sexual abuse 124–127
 see also infant feeding
burnout 152–153, 191–194, 299–302

C

caesarean section 96–100, 232
cancer 523–536
cardiotocography 303–306
childbirth
 autistic women's experiences 483
 COVID-19 and 293–296
 'normal' 101–107
 see also labour
communication support 316–322

complementary therapies 474–479
congenital heart disease 500–503
consumer information 135, 408
continuity of care 108–110, 166, 323–331, 354–356
contraception 248
COVID-19
 breastfeeding and 247, 347–353, 354–356, 358
 choice of place of birth 65, 212–216
 effect of lockdown on midwives' substance use 142–144
 impact on midwifery-led care 175
 infection control 79
 postpartum mental health during 345–346
 pregnancy complications 76
 student midwives' experiences 154, 297–299
 vaccination in pregnancy 443–453
 women's experiences 293–296
cultural beliefs 102–103, 431–434
cultural practices 485–490
cultural safety 45–50
cytomegalovirus 201–211

D

databases 290–292, 421–422
deaf women 68–72
decision making 217–223
depression 249
diabetes, gestational 342
digital technology 40–45, 155, 173, 174, 360–370
disability 68–72
domperidone 278–283

E

education see midwifery education
empowerment 435–436
epidural analgesia 494
episiotomy 338–341
ethical issues 212–216
ethnic minority groups 45–50, 51–55, 183–188, 443–453, 460–465

evidence-based practice 285–287
examination of the newborn 116–120,
500–503
exercise 272, 454–459

F

fathers 357 *see also* men
fear of childbirth 293–296
female genital mutilation (FGM) 176–177,
425–430
feminism 235–240
fetal monitoring 303–306
freebirth 167, 212, 213–214, 225–231

G

gamification 189–191
global midwifery 271

H

HIV infection 128–133
home birth 212–216, 467–474, 504–511
hypnosis 474–479

I

immigrant women 183–188, 332–337
induction of labour 323–331
inequalities in health 183–188, 431–434,
460–465
infant, pacifier use 250
infant, newborn
 congenital heart disease 500–503
 daily care routine 180–181
 examination 116–120, 500–503
 pain management 414–418
 skin care 386–395
infant, premature 357, 503
infant feeding
 COVID-19 and 247
 extremely premature infants 357
 fathers' experiences 357
 HIV and 128–133
 see also breastfeeding
infection control 79–83

intelligence quotient (IQ) 249, 250
intensive care *see* neonatal intensive care

K

knowledge 285–287, 425–430, 435–436,
454–459

L

labour
 antenatal preparation 408
 cardiotocography 303–306
 first stage 173
 freebirth 167, 212, 213–214, 225–231
 induced 323–331
 mobile apps use 174
 music during 232
 pain 84–88, 103–104, 474–479, 494,
 495–500
 positions in 217–223
 respiratory illness and 73–78
 rupture of membranes 89–95
 second stage 217–223, 480–482, 512–
 522
 women with complex needs 467–474
 see also childbirth
leadership 147–151
learning methods 155, 435–436
legal issues 212–216
length of hospital stay 344
literature searching 421–422
lumbopelvic pain 360–370

M

maternal mortality 332–337
Maternity and Infant Care (MIC) database
290–292, 421–422
maternity services
 antenatal education 263–270, 408
 communication support 316–322
 cultural safety 45–50
 health inequalities 183–188, 431–434,
 460–465
 institutional racism 45–50, 51–55
 Rohingya refugees 332–337

- women in prison 195–200, 312–316, 439–442
 - men
 - attitudes to female genital mutilation (FGM) 425–430
 - experiences of feeding preterm infants 357
 - transition to parenthood 111–115
 - see *also* fathers
 - mental health
 - depression and anxiety in pregnancy 249
 - midwives 191–194, 371–385
 - perinatal 14–26, 246, 249, 345–346
 - postnatal 323–331, 345–346
 - mentoring 156
 - midwifery care
 - continuity of care 108–110, 166, 323–331, 354–356
 - COVID-19 65, 76, 79, 142–144, 154, 175, 212–216
 - cultural practices 485–490
 - freebirthing women 167, 212, 213–214, 225–231
 - immigrant women 183–188
 - midwife-led units 108–110, 175
 - outside recommendations 61–65, 167–169, 212, 213–214, 225–231, 467–474
 - Shared Decision Making (SDM) 431–434
 - standard precautions 79–83
 - women with history of sexual abuse 124–127, 134
 - women with sensory impairment 68–72
 - midwifery education
 - effect of COVID-19 on 297–299
 - gamification 189–191
 - mentoring 156
 - screening in pregnancy 157
 - virtual 40–45, 155
 - web-based interventions 173
 - see *also* student midwives
 - midwifery profession
 - experienced midwives 152–153
 - knowledge 285–287, 435–436
 - post-traumatic stress disorder 6–13
 - Professional Midwifery Advocate (PMA) 6–13
 - research leadership 147–151
 - retention of midwives 152–153
 - self-compassion 371–385
 - substance use 142–144
 - workplace well-being 191–194
 - midwife's role 116–120
 - midwives' experiences
 - alternative birth choices 167–169
 - burnout 299–302
 - effect of opioids in labour on
 - breastfeeding 495–500
 - home birth 467–474
 - neonatal pain management 414–418
 - social media 176–177
 - workplace well-being 152–153
 - mobile apps 174, 360–370
 - music 232, 503
- N
- neonatal intensive care
 - fathers' experiences of infant feeding 357
 - music therapy 503
 - pain management 414–418
 - 'normal' childbirth 101–107
- O
- obstetric anal sphincter injury (OASI) 235–240
 - opioids 495–500
- P
- pacifiers 250
 - pain
 - neonatal 414–418
 - and 'normality' 103–104
 - perception of 84–88
 - pain relief
 - epidural 494
 - hypnosis 474–479
 - opioids 495–500

- parenting 135
- partners 251–262
- perinatal mental health 14–26, 246, 249, 345–346
- perinatal mortality 437
- perineal care 512–522
- perineal trauma 235–240, 338–341
- placental growth factor testing 161–162
- place of birth 108–110, 212–216, 464–474, 504–511
- pneumonia 73–78
- populations 423–424
- positions in childbirth 217–223
- postnatal care
 - cultural practices 485–490
 - early discharge 344
 - following gestational diabetes 342
 - overnight visiting 251–262
 - skin-to-skin contact 96–100, 490–494
 - social media support 176–177
 - women with female genital mutilation 176–177
- postnatal health
 - exercise 272
 - sexuality and intimacy 235–240
 - urinary incontinence 241–246, 494
- postpartum haemorrhage 343
- post-term pregnancy 163–165
- post-traumatic stress disorder 6–13, 323–331
- pregnancy
 - autonomy 212–216
 - care outside recommendations 61–65, 167–169
 - childhood cancer survivors 523–536
 - complications
 - COVID-19 443–453
 - cytomegalovirus 201–211
 - gestational diabetes 342
 - lumbopelvic pain 360–370
 - in refugee women 332–337
 - respiratory illness 73–78
 - domperidone usage 278–283
 - exercise 272, 454–459
 - late booking 396–407
 - mental health 249

- placental growth factor testing 161–162
- post-term 163–165
 - in prison 195–200, 312–316, 439–442
 - smoking cessation 306–311
- premature infants 357, 503
- Preparation for Birth and Beyond* 263–270
- preterm birth 166
- prison, pregnancy in 195–200, 312–316, 439–442
- Professional Midwifery Advocate (PMA) 6–13
- psychotherapy 14–26
- public health 27–39, 183–188
- pulse oximetry 500–503

Q

- qualitative/quantitative research 288

R

- racial disparities 431–434, 460–465
- racism 45–50, 51–55
- radiotherapy 523–536
- reflective practice 6–13, 58–60
- refugees 332–337
- religion 102–103
- research
 - Big Data 27–39
 - designing research questions 419–420
 - knowledge sources 285–287
 - leadership 147–151
 - literature searching 421–422
 - Maternity and Infant Care (MIC) database 290–292, 421–422
 - populations and samples 423–424
 - qualitative *versus* quantitative 288
 - research paper components 289
- respiratory illness 73–78
- retention of midwives 152–153
- rupture of membranes, spontaneous 89–95

S

- sampling 423–424

screening 157
self-compassion 371–385
sensory impairment 68–72
sexual abuse 124–127, 134
sexuality 235–240
Shared Decision Making (SDM) 431–434
simulation-based training 40–45
skin care, neonatal 386–395
skin-to-skin contact 96–100, 490–494
smoking cessation 306–311
social media 176–177
social support
 breastfeeding 347–353, 354–356
 men 111–115
 student midwives 154
 via social media 176–177
socioeconomic status 460–465
standard precautions 79–83
student midwives
 effect of COVID-19 on 297–299
 experiences of perinatal mortality 437
 mentoring 155
 reflective practice 6–13, 58–60
 support 154
substance use 142–144

T

teaching methods 189–191
transition to parenthood 111–115

U

urinary incontinence 241–246, 494

V

vaccination in pregnancy 443–453
vaginal birth 232, 338–341
virtual learning 40–45, 155, 189–191

W

well-being 152–153, 170–172, 191–194
women's attitudes, exercise in pregnancy
 454–459
women's experiences

autism and childbirth 483
birth 'outside the system' 167–169
breastfeeding 136, 354–356
communication support 316–322
cultural postpartum practices 485–490
female genital mutilation 176–177
freebirth 225–231
gestational diabetes 342
hands-on perineal interventions 512–
 522
home birth planning 504–511
induction of labour 323–331
obstetric anal sphincter injury (OASI)
 235–240
postnatal care 176–177
urinary incontinence 241–246
women's preferences
 care during COVID-19 293–296
 care outside recommendations 61–65