

MIDIRS Midwifery Digest Index 2022

A

abdominal wall defects 190–195
abortion care 406–408
accessibility of health care 398
action learning sets 427–432
advanced maternal age 449–453, 480–485
A-EQUIP model 18–20, 423–426
antenatal education 196–200
anxiety 226
Asian women 160–164, 230–233, 305–310
asylum-seeking women 433–442
attachment, maternal-infant 92–97
audits 292–294
Australia 118–125
autism 279–288
autonomy 25–30

B

Bangladesh Midwifery Society 230–233
birth environment 61–66
Black women 153–164, 305–310
bladder care 375–379
body mass index (BMI) 25–34, 182–189
breastfeeding
 COVID-19 and 70
 diabetic women 86–91
 exclusive 227–229
 impact of midwifery staffing levels on 392–397
 milk supply 6–9
 partner support 517–520
 returning to work 512–516
 teenage mothers 227–229
 tongue tie 521–524
breech presentation 47–52

C

caesarean section 454–459
caseload model 167–171
childbirth
 influence of birth environment on physiology of
 61–66
 ‘normality’ in 362–371, 443–448
 student midwives’ personal experiences 320–
 324, 460–465
 see also labour
civility 35–38
Cochrane Database of Systematic Reviews 150–
 151
collapse 221–225, 311–312
colostrum harvesting 86–91
communication 30–34, 142–146

continuity of care 167–171

COVID-19

 domestic abuse and 74–80
 effect on midwifery education 172–177
 impact on perinatal mental health 67–73
 obstetric sonographers’ experiences 328–334
 and problematic substance use in perinatal staff
 414–415
 women’s experiences of antenatal education
 during 196–200
culturally sensitive care 341–349, 416–422, 433–
 442
cytomegalovirus 325–327

D

databases 12–13, 289–291
data collection 10–12, 15–17
decision making 385–391
diabetes, gestational 86–91
diet in pregnancy 182–189
digital midwives 98–105
diversity 160–164
domestic violence and abuse 74–80
doulas 53–60

E

eating disorders 341–349
education see midwifery education
electronic health records 98–105
episiotomy 211–221
ethical issues 385–391
Ethiopia 398
ethnic minority groups 153–164, 305–310, 416–
 422

F

fathers 249–265
female genital mutilation (FGM) 201–207
feminism 74–80
fetal fibronectin testing 357–361
fetal growth surveillance 44–46
fundal height measurement 44–46

G

genomics 165–166, 190–195

H

haemoglobinopathies 416–417
hyperemesis gravidarum 418

I

inclusivity 416–422
induction of labour 480–485
inequalities in health 279–282
infant, newborn
 skin care 15–17, 81–85
 sudden unexpected postnatal collapse 221–225
infant mortality 385–391
infection prevention 126–136
intensive care *see* neonatal intensive care
Ireland 505–511

K

kangaroo care 249–265

L

labour
 breech presentation 47–52
 care of women with female genital mutilation (FGM) 201–207
 doula support 53–60
 episiotomy 211–221
 impact of obesity on 210
 induced 480–485
 latent phase 234–241
 pain 234–241
 pushing techniques 351–356
 vaginal examination 373–374
 water immersion 474–479
 see also childbirth
language ability 142–146, 434
leadership 317–320, 424–426
learning methods 172–177, 416–422, 427–432
literature searching 12–13

M

Malta 474–479
Maternity and Infant Care (MIC) database 12–13, 289–291
maternity services
 autism awareness 279–288
 culturally sensitive care 341–349, 416–422, 433–442
 electronic health records 98–105
 Maternity Stream of Sanctuary 439–442
 National Maternity and Perinatal Audit 292–294
 trauma-informed care 335–340
 women with limited English 142–146, 434
 workplace culture 35–38, 160–164, 423–426
Maternity Stream of Sanctuary 439–442
medicalisation of childbirth 450–451, 454–455, 462–463
menopause 18–20

mental health

 impact of early pregnancy loss on 106–117
 perinatal 21–23, 67–73, 226
 refugee and asylum-seeking women 436
MIDIRS (Midwives Information and Resource Service) 409–411
midwifery care
 abortion care 406–408
 autistic women 279–288
 breech presentation 47–52
 civility 35–38
 continuity of care 167–171
 early pregnancy loss 106–117
 ethical issues 385–391
 female genital mutilation (FGM) 201–207
 high BMI/obesity 25–34, 182–189, 295–303, 466–473
 impact of staffing levels on 392–397
 maternal collapse 305–310
 ‘normality’ in 362–371, 443–448
 perineal repair 126–136, 380–385
 racial bias 305–310
 refugee and asylum-seeking women 433–438
 safety 35–38
 screening for domestic abuse 74–80
 trauma-exposed women 335–340
 women with eating disorders 341–349
 women with limited English 142–146, 434
midwifery education
 autism awareness 279–288
 during COVID-19 pandemic 172–177
 genomics 165–166
 Healthcare Leadership Model 317–320
 perineal repair 486–494
 promoting inclusivity 416–422, 439–442
 racial bias in 305–310
 simulation-based training 311–312
 teaching methods 24, 172–177, 266–272, 311–312
 virtual 172–177
 see also student midwives
midwifery profession
 Australia 118–125
 Bangladesh Midwifery Society 230–233
 Black, Asian and minority ethnic midwives 160–164
 digital midwives 98–105
 leadership 317–320, 424–426
 midwives experiencing menopause 18–20
 NHS Staff Survey 313–317
 problematic substance use 414–415
 Professional Midwifery Advocate (PMA) 423–426
 racial bias in 305–310
 relations with doulas 53–60
 research midwives 412–413

- retention of midwives 118–125
- staffing levels 392–397
- supervision 18–20
- values systems 385–391
- workplace culture 35–38, 160–164, 423–426
- midwives' experiences
 - care of women with female genital mutilation (FGM) 201–207
 - 'golden hour' after birth 500–504
 - menopause 18–20
 - promoting maternal-infant attachment 92–97
 - working conditions in NHS England 313–317
 - workplace culture 160–164
- midwives' perceptions
 - perineal repair 486–494
 - pushing techniques 351–356
 - water immersion 474–479
- migrant women 142–146, 201–207, 416–422, 433–442
- miscarriage 106–117

N

- National Maternity and Perinatal Audit 292–294
- neonatal care, emergency 398
- neonatal intensive care
 - fathers' role 249–265
 - kangaroo care 249–265
 - maternal-infant attachment 92–97
 - skin care practices 81–85
- NHS Staff Survey 313–317
- 'normal' childbirth 362–371, 443–448
- nutrition in pregnancy 182–189

O

- obesity 25–34, 182–189, 210, 295–303, 466–473

P

- pain
 - during fetal fibronectin testing 357–361
 - perception of 234–241
- partners 517–520
- perinatal mental health 21–23, 67–73, 226
- perineal care 126–136, 380–385, 486–494
- pertussis 178–181
- place of birth 61–66
- postnatal care
 - bladder care 375–379
 - following episiotomy 211–221
 - following infant's sudden unexpected collapse 221–225
 - 'golden hour' after birth 500–504
 - perineal repair 126–136, 380–385, 486–494
 - Sheehan's syndrome 6–9
 - traumatic birth and 242–248

- postnatal health 495–499
- postpartum haemorrhage 505–511
- post-traumatic stress disorder 242–248
- pregnancy
 - advanced maternal age 449–453, 480–485
 - antenatal education 196–200
 - autistic women 283–288
 - complications
 - COVID-19 67–73, 328–334
 - cytomegalovirus 325–327
 - early pregnancy loss 106–117
 - eating disorders 341–349
 - gestational diabetes 86–91
 - obesity 182–189, 295–303
 - Sheehan's syndrome 6–9
 - expectations for early postpartum period 495–499
 - fundal height measurement 44–46
 - genomic testing 190–195
 - high body mass index (BMI) 25–34
 - impact on renal system 38–43
 - mental health 67–73
 - nutrition guidance 182–189
 - pertussis vaccination 178–181
- prenatal diagnosis 190–195
- preterm birth 357–361
- Professional Midwifery Advocate (PMA) 423–426
- pushing techniques 351–356

Q

- qualitative research 10–12, 15–17, 295–303
- quantitative research 10–12, 147–148

R

- race equality 160–164
- racial bias 305–310
- Re:Birth project 362–371, 443–448
- recruitment (research) 15–17, 153–159
- reflective practice 21–23
- refugees 433–442
- renal system 38–43
- research
 - data analysis 147–149
 - data collection 10–12, 15–17
 - literature searching 12–13, 289–291
 - Maternity and Infant Care (MIC) database 12–13, 289–291
 - methodology 295–303
 - participant recruitment 15–17, 153–159
 - qualitative 10–12, 15–17, 295–303
 - quantitative 10–12, 147–148
 - Research Inspired Teaching 24
 - systematic reviews 150–151
- research midwives 412–413

Restorative Clinical Supervision (RCS) 18–20
retention of midwives 118–125
risk, women's perception of 449–453

S

safety 35–38
Scotland 182–189, 328–334
Sheehan's syndrome 6–9
simulation-based training 311–312
skin care (infant) 15–17, 81–85
skin-to-skin contact 92–97, 249–258
social support
 breastfeeding support for teenage mothers 227–229
 doulas 53–60
 partners and breastfeeding 517–520
socioeconomic status 439–442
sonographers 328–334
student midwives
 COVID-19 and 172–177
 development of NHS values 266–272
 leadership skills 317–320
 personal experience of childbirth 320–324, 460–465
 reflective practice 21–23
 service user group experiences 418–419
 use of action learning sets 427–432
substance use, problematic 414–415
sudden unexpected postnatal collapse 221–225
supervision of midwives 18–20
systematic reviews 150–151

T

teaching methods 24, 172–177, 266–272, 311–312
team building 266–272
teenage mothers 227–229
tongue tie 521–524
trauma-informed care 335–340, 420–421

U

uterine contractile activity 210

V

vaccination in pregnancy 178–181
vaginal birth 47–52, 454–459, 500–504
vaginal examination 357–361, 373–374
values 385–391
virtual learning 172–177

W

waterbirth 474–479

weight gain, gestational 182–189, 466–473
well-being 106–117
women's experiences
 antenatal education during COVID-19 pandemic 196–200
 autism in the maternity setting 283–288
 birth environment 61–66
 doula support 53–60
 early pregnancy loss 106–117
 high body mass index (BMI) and care 25–34, 295–303, 466–473
 induction of labour 480–485
 trauma-informed care 335–340
 VBAC 454–459
women's perceptions
 advanced maternal age 449–453
 postnatal period 495–499
working conditions 313–317, 328–334
working women 512–516
workplace culture 35–38, 160–164, 423–426