## **MIDIRS Midwifery Digest Index 2023**

| Milblitto Milawilery Digest lindex 2025    |  |
|--|--|
|  | E electronic health records 118–121          |
| A  |  |
| Aboriginal women 357                       | ethnic minority groups 130–134, 206–207      |
| anxiety 82                                 | expectant management 43–49                   |
| apprenticeships 319–320                    |  |
| auscultation 259–266                       | F  |
| autism 302–303                             | fear, of pain 160–164                        |
|  | fetal alcohol syndrome 285                   |
| В  | fetal monitoring 259–266                     |
| bereavement care 55–63, 241–247            | fidelity 321–325                             |
| birth choices 210–215                      | ·  |
| birth weight 347                           | G  |
| Black women 6-8, 306-308, 334-341          | genomics 326–332                             |
| breastfeeding                              | 951151111155 525 552                         |
| effect of mode of delivery 371–373         |  |
| exclusive 187–193                          | Н  |
| and hormonal contraception 360             | HIV infection 50–53                          |
| during pregnancy 90-93                     | hyperemesis gravidarum 140–145, 248          |
| premature infants 84–89                    | hypertensive disorders of pregnancy 94       |
| promotion and support 90–93, 183–186,      | hypnosis 34–35, 254–259                      |
| 364–373                                    |  |
| breech presentation 64–69                  |  |
|  | implementation science 118–121               |
| 0  | Indian women 206–207                         |
| C  | induction of labour 43–49, 249–254           |
| caesarean section 371–373                  | inequalities in health                       |
| cannabis 154–159                           | Black women 6–8, 306–308, 334–341            |
| cardiotocography 259–266                   | Indian women 206–207                         |
| cerebral palsy 358                         | marginalised groups 309–311                  |
| choice, of birth 210–215                   | Population Health Fellowship programme       |
| clinical incidents 24–29                   | 14–16  |
| compassionate care 227–234                 | women with complex social factors 235–       |
| complementary therapies 34–35, 254–259     | 236  |
| conferences 319–320                        | infant, newborn                              |
| continuity of care 146–153                 | admission to NICU 82                         |
| contraception 170–176, 267–272, 360        | effect of hypertensive disorders of          |
| COVID-19 61–63                             | pregnancy on outcomes 94                     |
| Crohn's disease 39–42                      | fetal alcohol syndrome 285                   |
| culturally sensitive care 130–134, 206–207 | pain management 363                          |
|  | sleep practices 278–284, 374                 |
| D  | infant, premature 83, 84–89, 375             |
| databases 9-10                             | inflammatory bowel disease 39–42             |
| debriefing 24–29                           | influenza 348                                |
| decolonisation 6–8, 258                    | information leaflets 249–254, 363            |
| diabetes 70-75, 237-240                    | intensive care see neonatal intensive care   |
| diet in pregnancy 248, 342-346             | intrauterine device (IUD) insertion 170–176, |
| domestic abuse 332–333                     | 267–272                                      |
| drug use 154–159                           |  |
|  |  |

| L  | midwifery education                       |
|--|---|
| labour   | decolonisation 6–8                        |
| breech presentation 64–69                                      | genomics 326–332                          |
| fetal monitoring 259–266                                       | simulation-based training 123-129, 321-   |
| induced 43-49, 249-254   | 325                                       |
| latent phase 160–164   | supporting autistic students 302–303      |
| pain perception 30–38, 160–164                                 | see also student midwives                 |
| positions in 165–169   | midwifery profession                      |
| shoulder dystocia 70–75  | debriefing 24–29                          |
| lactation support 84–89, 371–373                               | genomic competencies 326–332              |
| leadership 6-8, 227-234  | mental health 17–23                       |
| learning methods 123–129, 321–325                              | pay 135–139                               |
| literature searching 9–10                                      | racial bias in 6–8, 130–134               |
| 3  | retention of midwives 135–139             |
|  | social media use 312–318                  |
| M  | staff shortages 135–139                   |
| macrosomia 70–75, 347  | workplace culture 17–23                   |
| magnesium sulphate 358   | midwifery-led care 17–23                  |
| maternal mortality 235–236                                     | midwives' experiences                     |
| Maternity and Infant Care (MIC) database 9–                    | bereavement care 55–60                    |
| 10   | midwifery-led care 17–23                  |
| maternity services   | place of birth discussions 349–356        |
| decolonisation 6–8, 258  | student supervision 217–226               |
| quality improvement 24–29, 358 see also inequalities in health | sudden infant death prevention 278–284    |
| maternity support workers 304–305, 319–320                     | use of social media 312–318               |
| medicalisation of childbirth 17–23                             | midwives' perspectives                    |
| mental health  | cannabis use in pregnancy 154–159         |
| Aboriginal women 357   | fetal monitoring 259–266                  |
| of adults born preterm 83                                      | positions in labour 165–169               |
| impact of admission to NICU on 82                              | miscarriage 241–247                       |
| midwives 17–23   |   |
| perinatal suicide 115–118, 130–134                             | N   |
| MIDIRS (Midwives Information and Resource                      | neonatal intensive care                   |
| Service) 9–10  | impact on maternal mental health 82       |
| midwifery care   | skin-to-skin care 375                     |
| bereavement care 55–63, 241–247                                | sleep practices 374                       |
| breastfeeding support 90–93, 183–186,                          | specialist lactation support 84–89        |
| 364–373  | Nigeria 187–193                           |
| breech presentation 64–69                                      | Normalised Process Theory (NPT) 118–121   |
| compassionate care 227–234                                     |   |
| continuity of care 146–153                                     | Р   |
| genomic mainstreaming 326–332                                  | pain                                      |
| integration with research 114–115                              | hypnobirthing for pain relief 254–259     |
| perineal trauma 76–81, 359                                     | neonatal 363                              |
| population health 14–16  | perception of 30–38, 160–164              |
| routine enquiry about domestic abuse 332-                      | parenting 177–182                         |
| 333  | pay 135–139                               |
| screening for drug use 154–159                                 | PEAR Study 342–346                        |
| sickle cell disease 334–341                                    | perinatal mental health 82, 115–118, 130– |
| vaginal birth after caesarean 210–215                          | 134, 357                                  |
|  |   |

| perineal trauma 76-81, 359                     | marginalised groups 309-311  |
|--|--|
| place of birth 210-215, 349-356                | Maternity and Infant Care (MIC) database                               |
| population health 14–16                        | 9–10   |
| positions in labour 165–169                    | qualitative 115–118  |
| post-term pregnancy 43-49, 249-254             | RCM research prioritisation project 208–                               |
| post-traumatic stress disorder 272–277         | 209  |
| postnatal care                                 | RCM Small Research Awards 110–112,                                     |
| contraception 170-176, 267-272, 360            | 304–305  |
| perineal wound care 76–81                      | sickle cell disease 334–341  |
| trauma-informed care 115–118, 272–277          | under-representation of Black women 306-                               |
| postnatal depression 82                        | 308  |
| postnatal health                               | writing for publication 11–13  |
| help-seeking behaviour 361                     | retention of midwives 135–139  |
| puerperal sepsis 362                           | role-playing 363   |
| transition to parenthood 177–182               | Royal College of Midwives (RCM)  |
| pre-eclampsia 106–109                          | research prioritisation project 208–209                                |
| pregnancy                                      | Small Research Awards 110–112, 304–305                                 |
| breastfeeding during 90–93                     |  |
| cannabis use 154–159                           | S  |
| complications                                  | screening 154–159  |
| diabetes 70-75, 237-240                        | sepsis 362   |
| HIV infection 50–53                            | shoulder dystocia 70–75  |
| hyperemesis gravidarum 140–145, 248            | sickle cell disease 334–341  |
| hypertensive disorders 94                      | simulation-based training 123–129, 321–325                             |
| inflammatory bowel disease 39–42               | skin-to-skin care 375  |
| macrosomia 70-75, 347                          | sleep practices 278–284, 374   |
| pre-eclampsia 106–109                          | social media 312–318   |
| pregnancy loss 241–247                         | social support   |
| sickle cell disease 334–341                    | breastfeeding 90–93, 183–186, 364–373                                  |
| diet 248, 342–346                              | transition to parenthood 177–182                                       |
| influenza vaccination 348                      | socioeconomic status 227–234, 235–236                                  |
| post-term 43–49, 249–254                       | staff shortages 135–139  |
| twin pregnancy 94                              | stillbirth 55–60   |
| women with complex social factors 227–         | student midwives   |
| 234, 235–236                                   | autistic students 302–303  |
| premature infants 83, 84–89, 375               | breastfeeding support 90-93, 364-371                                   |
| preterm birth 358                              | clinical supervision 217–226   |
| proteinuria 106–109                            | experience of bereavement care 61–63                                   |
| publishing 11–13                               | experience of continuity of care 146–153                               |
|  | knowledge and attitudes towards  |
| Q  | hyperemesis gravidarum 140–145   |
| qualitative research 115–118                   | leadership skills 6–8  |
| quality improvement 24–29, 358                 | reflective practice 6–8, 61–63, 90–93                                  |
|  | sudden infant death 278–284  |
| D  | suicide 115–118, 130–134   |
| R  | supervision of midwives 217–226  |
| racial bias 6–8, 130–134                       |  |
| racial disparities 6–8, 258, 306–308           | Т  |
| reflective practice 6–8, 61–63, 90–93 research | •  |
|  | transition to parenthood 177–182 trauma-informed care 115–118, 272–277 |
| integration with midwifery 114–115             | "auma-""" (110-110, 212-211  |

## twin pregnancy 94

U ulcerative colitis 39–42 urine testing 106–109

V vaccination in pregnancy 348 vaginal birth 64–69, 210–215

W women-centred care 64-69 women's experiences induction of labour 249-254 NICU admission 82 postnatal wound care 76-81 pregnancy loss care 241–247 vaginal birth after caesarean 210-215 women's perceptions engagement with perinatal mental health services 130-134 exclusive breastfeeding 187–193 post-placental IUD insertion 267-272 workplace culture 17-23 wound care 76-81 writing for publication 11–13